

000-237

IBM

pSeries HACMP for AIX 5L

Visit: <http://www.pass4sureofficial.com/exams.asp?examcode=000-237>

Pass4sureofficial.com is a reputable IT certification examination guide, study guides and audio exam provider, we not only ensure that you pass your 000-237 exam in first attempt, but also you can get a high score to acquire IBM certification.

If you use pass4sureofficial 000-237 Certification questions and answers, you will experience actual 000-237 exam questions/answers. We know exactly what is needed and have all the exam preparation material required to pass the exam. Our IBM exam prep covers over 95% of the questions and answers that may be appeared in your 000-237 exam. Every point from pass4sure 000-237 PDF, 000-237 review will help you take IBM 000-237 exam much easier and become IBM certified. All the Questions/Answers are taken from real exams.

Here's what you can expect from the Pass4sureOfficial IBM 000-237 course:

- * Up-to-Date IBM 000-237 questions taken from the real exam.
- * 100% correct IBM 000-237 answers you simply can't find in other 000-237 courses.
- * All of our tests are easy to download. Your file will be saved as a 000-237 PDF.
- * IBM 000-237 brain dump free content featuring the real 000-237 test questions.

IBM 000-237 certification exam is of core importance both in your Professional life and IBM certification path. With IBM certification you can get a good job easily in the market and get on your path for success. Professionals who passed IBM 000-237 exam training are an absolute favorite in the industry. You will pass IBM 000-237 certification test and career opportunities will be open for you.



QUESTION 1:

During Certkiller .com planning session, the network administrator discusses the requirements of having a persistent MAC address associated with the IP Service address. How can this be accomplished using HACMP?

- A. Enable routed to handle dynamic route creation.
- B. Use IPAT via IP aliasing and define the required MAC address.
- C. Add the Service IP Label to the `/etc/cluster/ping_client_list`.
- D. Use IPAT via IP replacement and define the required MAC address.

Answer: D

QUESTION 2:

During a planning session, it is determined that both nodes in a mutual takeover cluster will provide NFS mounts to a variety of Unix hosts. What is the first consideration that must be taken into account when using NFS with HACMP?

- A. AIX Connections will need to be installed to provide the NFS shares.
- B. Mutual takeover cluster cannot provide NFS services from both nodes.
- C. The major number for the volume groups needs to be the same on both nodes.
- D. The `no` option `rfc 1323` must be set to 1 and the number of biods need to be adjusted to provide reasonable response times.

Answer: C

QUESTION 3:

A database administrator wants a unique IP address for each of three instances of a database. Normally, all instances run on a large production node, but they may failover to different standby nodes according to the dynamic node priority configuration. What is the best way to obtain unique addresses for each of the three database instances?

- A. There is no way since this cannot be configured with HACMP.
- B. Use IP Replacement address takeover and define all service addresses on the same NIC.
- C. Use IP Aliasing for address takeover and define each alias in a separate resource group.
- D. Use EtherChannel to map the three alias IP addresses to the common service address defined to HACMP.

Answer: C

QUESTION 4:

Certkiller .com has several network adapters configured as backup paths using the Virtual

IP addressing and dynamic routing of AIX. A second node needs to be added to the environment to create a cluster. What considerations must be addressed during the planning session?

- A. HACMP supports most types of networks, including Virtual IP Addressing by AIX.
- B. If HACMP IP aliasing is used, the devices may be the Virtual IP type used by AIX.
- C. Using the AIX Virtual IP Addressing scheme HACMP can provide near fault tolerant availability of the network.
- D. The AIX Virtual Addressing mechanism is not supported by HACMP, but a similar configuration can be created in HACMP.

Answer: D

QUESTION 5:

Certkiller .com has a new computer room that will be used to house a new HACMP cluster. One of the outstanding features of the new computer room was the new large air conditioner. This unit has enough excess capacity for more than double the planned amount of equipment. Another feature of this computer room was the dual electric supplies to the room housed in two separate power panels. How would this impact the overall availability of the environment?

- A. Dual power feeds will make the installation difficult to manage and less high available.
- B. The single air conditioner is a single point of failure and the customer should be made aware of the issue.
- C. The single air conditioner is a single point of failure and HACMP should be customized to compensate for the issue.
- D. A single power feed should be used to avoid ground loops in the computer room causing premature failure of the systems.

Answer: B

QUESTION 6:

Certkiller .com has an application that requires a serial connection for Electronic Data Interchange. What must be done to integrate the serial connection into an HACMP cluster?

- A. Use an RS3232/422 serial Y cable.
- B. Alter the device settings to 9600 8/n/1 xon/xoff.
- C. Use a network based terminal server for the serial connection.
- D. Nothing because HACMP does not support native serial connection failovers.

Answer: C

QUESTION 7:

During a planning session, Certkiller .com expresses concern about the behavior of the nodes when HACMP is installed. Once department is reliant on an older piece of equipment that is critical to operations and must communicate to the database server. Previous network changes indicated that this piece of equipment does not support gratuitous ARP. How can HACMP best incorporate this restriction into the cluster design?

- A. The administrator must use Hardware Address Take over with HACMP.
- B. The clsmuxpd process and the contents of the /etc/cluster/ping_client_list can address the issue.
- C. HACMP does not have any facility to be compatible with older devices that have limited capabilities.
- D. HACMP can use either hardware address take over, or clinfo can update the arp cache of the clients when an adapter event occurs.

Answer: D

QUESTION 8:

An enterprise has three nodes: -Node 'A' is a production database, -Node 'B' is a production application server, and -Node 'C' is a test and development node. Node 'C' is used by six programmers to develop and the production application as business critical and would like to make it highly available with HACMP. Application development and testing is not business critical. Which of the following describes the best solution?

- A. There is not an adequate solution because HACMP should not be configured in this environment without a dedicated standby node.
- B. Nodes 'A' and 'B' should be configured in a cluster with mutual fallover of two cascading resource groups to provide both nodes will deliver acceptable response time with both resource groups.
- C. Nodes 'A' and 'C' should be configured in one cluster, and Nodes 'B' and 'C' in another cluster to prevent both the database and application server from falling over to Node 'C' at the same time.
- D. Nodes 'A', 'B', and 'C' should be configured in a cluster with Node 'C' the hot standby for both the database and application server resource groups. Workload Manager (WLM) must be configured on database and application developers from over utilizing the CPU resources.

Answer: B

QUESTION 9:

Certkiller .com wishes to use IPAT via IP replacement in a two-node mutual cluster. Each node has two Ethernet 10/100/1000 adapters. Throughout the planning session, the customer has asked questions about subnet and VLAN requirements for the intended network topology. Which of the following best describes the network requirements?

Pass4SureOfficial.com Lifetime Membership Features;

- Pass4SureOfficial Lifetime Membership Package includes over **2500** Exams.
- **All** exams Questions and Answers are included in package.
- **All** Audio Guides are included **free** in package.
- **All** Study Guides are included **free** in package.
- **Lifetime** login access.
- Unlimited download, no account expiry, no hidden charges, just one time \$99 payment.
- **Free updates** for Lifetime.
- **Free Download Access** to All new exams added in future.
- Accurate answers with explanations (If applicable).
- Verified answers researched by industry experts.
- Study Material **updated** on regular basis.
- Questions, Answers and Study Guides are downloadable in **PDF** format.
- Audio Exams are downloadable in **MP3** format.
- **No authorization** code required to open exam.
- **Portable** anywhere.
- 100% success **Guarantee**.
- **Fast**, helpful support 24x7.

View list of All exams (Q&A) downloads

<http://www.pass4sureofficial.com/allexams.asp>

View list of All Study Guides (SG) downloads

<http://www.pass4sureofficial.com/study-guides.asp>

View list of All Audio Exams (AE) downloads

<http://www.pass4sureofficial.com/audio-exams.asp>

Download All Exams Samples

<http://www.pass4sureofficial.com/samples.asp>

To purchase \$99 Lifetime Full Access Membership click here

<http://www.pass4sureofficial.com/purchase.asp>

3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	SNIA	

